

SlingStudio™



CAPTURE EVERY ANGLE



Wireless Multi-Camera Livestreaming Platform

MySlingStudio.com



Wireless

Using SlingStudio CameraLink, send video to the SlingStudio Hub from your camera up to 300 feet away.

- Battery operated, use almost anywhere
- Save hours of setup and teardown time
- Production studio that fits in a backpack



Multi-Camera

Connect a combination of 10 cameras, smartphones, even drones to get the perfect angles in HD.

- Automatically time-aligns files
- Use existing cameras & smartphones
- Accessible to all skill levels




Livestreaming

With the touch of a button, broadcast your live-switched, multi-camera production to reach your audience.

- Switch between cameras in real time
- Livestream without a storage device
- Import your own graphics and videos

Explore the SlingStudio Platform

SlingStudio is the only platform that's flexible enough for every production. With our video-grade wireless technology, you can connect a combination of 10 cameras, camcorders, smartphones and even drones without cables, reducing your setup time.



Platform Overview



Multi-camera
Wirelessly connect a combination of 10 cameras, smartphones, even drones to get the perfect angles in HD.



Livestreaming
With the touch of a button, stream your live-switched, multi-camera production.



Wireless
Using SlingStudio CameraLink, send video to the SlingStudio Hub from your camera up to 300 feet away.



4K post-production
Import your native recordings to create 4K projects by proxy, keeping timelines and edits intact.



Console App & Features

The FREE SlingStudio Console app turns your iPad or Mac into your portable production studio, allowing you to act as director and producer simultaneously.



Switcher

Switch between 10 video sources and monitor up to 4 using the Console app running on a compatible iPad or Mac.

Video Transitions & Compositions

Cut, dissolve, wipe, fade to/from black; programmable transition duration
Picture-in-picture (PIP), multiple split-screen views.

Audio Mixer

Full audio mixer functionality with monitoring mode support.

Overlay Graphics & Custom Scoreboard

Text overlays and lower-thirds. Create custom scoreboards by importing your own graphics and overlaying with elements like team names, scores, periods/innings, strikes/balls/outs, and more.

Import Video & Graphics

Import multiple video clips and PNG and JPG graphics for live switching, queuing, and highlights.

Instant Replay & Video Review

Replay the last few seconds of action with a single tap, or use video review mode to playback any camera angle frame-by-frame or in slow motion while your recording or livestreaming continues uninterrupted.

Tagging & Highlights

Create highlight clips by tagging special moments on the fly.

Chroma Key & Motion Graphics

Use chroma key (green screen) in your productions and import your own motion graphic overlays.

Livestreaming

Use our FREE Capture app for your Apple or Android smartphone, or connect a CameraLink to your professional video recording device to stream multi-camera productions with live switching to Facebook, YouTube, Vimeo, Twitch, Periscope, Livestream, Restream.io, and other RTMP destinations. SlingStudio produces video in HD resolutions up to 1080p60 at bit rates up to 30 Mbps using H.264 encoding and supports 4K post-production.



Recording 4K Post-Production

Get up to 7 recordings with each production, including individual camera feeds, the program recording, a quad view and line-in audio. Easily export your footage to Adobe Premiere Pro CC and Apple Final Cut Pro X from a single storage device, and the FREE SlingStudio plug-ins will automatically time-align your files so you can begin editing without having to spend hours in post-production setup time. You can also create a new program recording in 4K, in higher bit rates, or with higher quality video codecs with all edits preserved.





SlingStudio Hub

MSRP \$999

Professional multi-camera production and live video streaming made easy.

UPC# 753960015026 PART# 210236



SlingStudio CameraLink

MSRP \$349

Wirelessly send video to the SlingStudio Hub from your camera up to 300 feet away.

UPC# 753960015071 PART# 211899



SlingStudio Battery

MSRP \$149

Use the SlingStudio Hub anywhere without a power cord for up to 3 hours.

UPC# 753960015033 PART# 210878



SlingStudio USB-C Expander

MSRP \$49

Record to external storage and stream live via Ethernet.

UPC# 753960015217 PART# 212154



SlingStudio Backpack

MSRP \$199

Store all your SlingStudio gear, accessories, and more.

UPC# 753960015316 PART# 213381



SlingStudio Software

FREE!

Required apps and plug-ins are free to download and use with no ongoing subscription fees.



Video & Audio Inputs

Wireless Video Inputs

Up to 4 monitored sources via wireless 802.11ac connectivity, supporting up to 1080p30, 720p60, and 720p30 video

- or -

Up to 2 monitored sources via wireless 802.11ac connectivity, supporting up to 1080p60 video

Supported wireless sources* via 802.11ac:

- Cameras/camcorders* with HDMI output (requires CameraLink, sold separately)
- iPhone 6+ running iOS 9.0 or higher (requires Capture app - free download from Apple App Store)
- Select Android phones* running Android 6.0 or higher (requires Capture app - free download from Google Play Store)

HDMI Video Input

1080i60, 1080p30, 720p60 and 720p30

HDMI Video Output

HDMI Type C (mini) connector supporting up to 1080p60 video output of program/quad view. Zero-latency option available in HDMI passthrough mode for HDMI input source

Digital Audio Input

2-channel HDMI/802.11ac-embedded audio (48 KHz, 16-bit)

Analog Audio Input

3.5 mm port for line-level, 2-channel unbalanced input (mic-level input requires external pre-amp or mixer)

AV Sources Supported

- Up to 4 monitored sources* in 1080p30/720p60/720p30 modes
- Up to 2 monitored sources* in 1080p60

*See supported devices at MySlingStudio.com/compatibility

Recording & File Formats

Video Recording Formats (mp4)

H.264 High Profile 4:2:0
 1080p60 up to 30 Mbps
 1080p30 up to 16 Mbps
 720p60 up to 16 Mbps
 720p30 up to 4 Mbps

Audio Recording Formats (AAC-LC)

2-channel 48 KHz, 16-bit up to 320 kbps

Recording Media Types

- SD card slot (select UHS speed class U3 and higher*)
- USB 3.0 hard drives, SSD drives - available via USB-C port (requires USB-C Expander, sold separately)

Multi-Stream Recording (mp4)

7 simultaneous recordings of:

- 4 video sources/inputs
- 1 quad view of 4 inputs (video only)
- 1 program/output stream
- 1 line-in (audio-only) recording

Timecode Syncing

Align recordings directly to Adobe Premiere Pro CC and Apple Final Cut Pro X, saving hours in post-production editing

Hardware

Wireless

Simultaneous Access Point and Client modes:

- 5 GHz 802.11ac Access Point/Hotspot mode to connect to an iPad (running the Console app) and different video sources (cameras/camcorders via CameraLink and/or iOS/Android phones)
- Dual-band 2.4 GHz and 5 GHz 802.11ac Client mode to connect to the Internet for livestreaming
- Supports WPA, WPA-Enterprise, and WPA2-Enterprise security, second-level authentication (captive portal) and most other common network protocols.

Interfaces

- HDMI Type A (standard) connector for video input
- HDMI Type C (mini) connector for video output
- SD card slot for recording (specific requirements apply*)
- 3.5 mm mini-jack for 2-channel unbalanced audio line-in input
- USB Type C connector for connecting to hard drives or SSD drives
- SlingStudio USB-C Expander (sold separately) for connecting to USB 3.0 drives and Ethernet
- Power connector
- Battery-pack connector for SlingStudio Battery (sold separately)

CameraLink

HDMI and Digital Audio

- 1 HDMI Type D (micro) connector supporting 1080p60, 1080i60, 1080p30, 720p60, and 720p30 video inputs
- 2-channel HDMI embedded audio (48 KHz, 44.1 KHz, 36 KHz, 16-bit)

Battery Life and Charging

- 2+ hours of battery
- Micro-USB charging port for use with common smartphone/tablet USB cables, 3 to 4 hours charging time when CameraLink is off using a USB cable with 10W (5V, 2A) or higher

SlingStudio™